

רח' עתיר ידע 23, אזה"ת כפר סבא 4464318 09-7486270 :פקס: 09-7691700 23 Atir Yeda St.,

Industrial Zone Kfar Saba 4464318, Israel Tel: +972-9-7691700 Fax: +972-9-7486270 www.nortec.co.il nortec@nortec.co.il

Technical Data Sheet Self Laminating Clear Vinyl – 736, 726, 746, 756, 766, 776, 786, 796

General Description:

3.5-mil flexible frosty clear vinyl is an intermediate vinyl for general screen and Thermal Transfer printing. This film is designed for multiple color labels and decals, p.o.p.,

displays, bumper strips and other identification pieces.

Most common application: Cable Identification. Has a moderate conformable characteristic.

Face Material: 3.5-mil flexible vinyl.

Color Violet – 726 White – 736 Red – 746 Yellow – 756 Blue-765

(Print Area): Orange – 766 Green – 776 Magenta – 786 Light Blue – 796

UL approved Recommended

Ribbon: Nortec 136 Thermal Transfer Ribbon.

Average Adhesion Values:	15 min.	24 hr.
(PSTC-1, 180° peel @ 12"/min.,	50 oz.	
23°c on Stainless Steel):		64 oz.
Minimum Application	50°F	
Temperature:		
Service Temperature Range:	-40°F to +180°F	
Shelf Life (@ 23°c, 50% RH):	2 years	
Outdoor Durability:	2 years	

Certifications: UL File No. MH29261.

Chemical Resistance:

Distilled Water (24 hr)	No Effect
Detergent (24 hr)	No Effect
10% HCI (10 min)	N/A
10% Ammonium Hydroxide (10 min)	No Effect
Anti-Freeze (24 hr)	No Effect
SAE 20 Motor Oil (24 hr)	No Effect

Agency

Approvals: UL File No. MH 29261 Group PGJ12 (Based on labels-ribbons system).

Storage: Storage at 18°c to 27°c and 40% to 60% RH. For prolong storage it is recommended

to store in a sealed bag on the side.



Warranty:

Nortec AMI recommends that a selected label type be thoroughly tested to insure it meets all end user requirements. Nortec AMI warrants only the purchaser that its products are free from defects in material and workmanship. Nortec AMI limits its obligation under this warranty and at its option to repair or replace the product. This warranty is in lieu of any other warranty, expressed or implied, including, but not limited to, any implied warranty of merchantability or fitness for a particular purpose. Nortec AMI is not liable for any damages, including lost profits, lost savings, or other incidental or consequential damages arising out of the use of or inability to use such product.

Form No.	Latest Revision	Created By	Date	Page
ND 7.5 - D	Rev3.10.17	Amir P.	19.10.2017	1 of 1